

Tips for Leaders





or more servings of fruits and vegetables

Fruits and vegetables provide children with nutrients, water, fiber, and phytochemicals that help prevent diseases and keep their bodies healthy. As a leader, do what you can to help ensure that children have ample opportunities to eat fruits and vegetables - educate yourself, gather support, and take the necessary steps to create policies and food environments that support fruit and vegetable consumption.

- Establish community gardens, farmers markets, and farm-toschool/farm-to-work partnerships to increase access to fruits and vegetables.
- Use policy to drive pricing incentives that nudge consumers into making fruit and vegetable purchases.
- Create policies for Child Development Centers, Family Child Care, schools, after-school programs, and youth centers that ensure children have many opportunities to eat fruits and vegetables in settings where they don't compete with less nutritious foods.



or fewer hours of recreational screen time⁺

[†]review guidelines on parenting strategies to ensure quality screen time (AAP, 2015)

Recreational screen time is free time spent in front of screens – like televisions, video games, and the internet. It is possible to get enough physical activity and still engage in an unhealthy amount of screen time. The American Academy of Pediatrics recommends NO screen time for children under two years of age.

- Develop a campaign to help educate parents and caretakers about healthy screen time habits – like removing televisions from bedrooms, turning off media during mealtimes, and setting and enforcing limits.
- Create policy to support screen-free environments for young children in Child Development Centers and Family Child Care and encourage screen-time limits for children in schools, after-school programs, and youth centers.
- Create environments that naturally discourage sedentary behavior by making it easy and fun for children to be active!



or more hours of physical activity

Active play and active transportation give young children opportunities to move their bodies, use their imagination, practice problem solving, engage in social interactions that promote self-awareness and empathy, and increase physical fitness. Use your position to increase these opportunities.

- Create policies for Child Development Centers, Family Child Care, schools, after-school programs, and youth centers that ensure children have plenty of chances to play outside in every season.
- Endorse active fundraisers, like walk-a-thons, as replacements for food-related fundraisers, like selling cookie dough.
- Improve the built environment to promote active play and active transportation – increase children's access to grass fields and playgrounds, expand/improve bike paths and sidewalks, and establish walking school busses.



sweetened beverages

It is important to drink fluids to stay healthy, but sweetened beverages add extra sugar and calories to the diet. Your leadership can help make sure that children have access to beverages that support a healthy lifestyle.

- Develop a campaign to make water the norm for quenching thirst and rid children's environments of competing messages.
- Create environments where drinking water is free, available, and accessible at all times and a desirable choice.
- Use policy to drive pricing incentives that nudge consumers into making healthier beverage purchases.



Contact the Clearinghouse for Military Family Readiness at 1-877-382-9185 or www.militaryfamilies.psu.edu for help identifying programs and resources targeting nutrition, physical activity, and screen time!

References

Barnidge, E. K., Hipp, P. R., Estlund, A., Duggan, K., Barnhart, K. J., & Brownson, R. C. (2013). Association between community garden participation and fruit and vegetable consumption in rural Missouri. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 128-136.

Brown, A., Shifrin, D. L., & Hill, D.L. (2015). Beyond turn it off: How to advise families on media use. American Academy of Pediatric News, 36(10), 1-1.

Burdette, H. L., Whitaker, R. C., & Daniels, S. R. (2004). Parental report of outdoor playtime as a measure of physical activity in preschool-aged children. *Archives of Pediatrics and Adolescent Medicine*. 158(4), 353-357.

Centers for Disease Control and Prevention. (2011). Strategies to prevent obesity and other chronic diseases: The CDC guide to strategies to increase physical activity in the community. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.

Centers for Disease Control and Prevention. (2011). Strategies to prevent obesity and other chronic diseases: The CDC guide to strategies to increase the consumption of fruits and vegetables. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.

ChangeLab Solutions. (2014). The National Policy & Legal Analysis Network to Prevent Childhood Obesity (NPLAN). Retrieved from http://changelabsolutions.org/childhood-obesity

Engell, D., Kramer, M., Malafi, T., Salomon, M., & Lesher, L. (1996). Effects of effort and social modeling on drinking in humans. Appetite, 26(2), 129-138.

Freedman, D. A., Whiteside, Y. O., Brandt, H. M., Young, V., Friedman, D. B., & Hebert, J. R. (2012). Assessing readiness for establishing a farmers' market at a community health center. *Journal of Community Health*, 37(1), 80-88.

Ginsburg, K. R. (2007). The importance of play in promoting healthy child development and maintaining strong parent-child bonds. Pediatrics, 119(1), 182-191.

Gortmaker, S., Long, M., & Wang, Y. C. (2009). The negative impact of sugar-sweetened beverages on children's health. Retrieved from http://www.rwjf.org/en/research-publications/find-rwjf-research/2009/11/the-negative-impact-of-sugar-sweetened-beverages-on-children-s-h.html

Joshi, A., & Ratcliffe, M. M. (2012). Causal pathways linking farm to school to childhood obesity prevention. Childhood Obesity, 8(4), 304-314.

Keener, D., Goodman, K., Lowry, A., Zaro, S. & Kettel Khan, L. (2009). Recommended community strategies and measurements to prevent obesity in the United States: Implementation and measurement guide. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.

Leadership for Healthy Communities. (2007). *Improving access to healthy foods: A guide for policy-makers*. Retrieved from http://www.leadershipforhealthycommunities.org/resources-mainmenu-40/policy-briefs/229-resources94

Leadership for Healthy Communities. (2007). *Increasing active living: A guide for policy-makers*. Retrieved from http://www.leadershipforhealthycommunities.org/resources-mainmenu-40/policy-briefs/228-resources93

Leadership for Healthy Communities. (2011). Action strategies toolkit: A guide for local and state leaders working to create healthy communities and prevent childhood obesity. Retrieved from http://www.rwjf.org/en/research-publications/find-rwjf-research/2011/02/action-strategies-toolkit.html

Muckelbauer, R., Libuda, L., Clausen, K., Toschke, A. M., Reinehr, T., & Kersting, M. (2009). Promotion and provision of drinking water in schools for overweight prevention: Randomized, controlled cluster trial. *Pediatrics*, 123(4), e661-e667.

National Association for Sport and Physical Education. (2009). *Active start: A statement of physical activity guidelines for children from birth to age 5*. Retrieved from http://www.aahperd.org/naspe/standards/nationalGuidelines/ActiveStart.cfm

National Research Council.(2005). Does the built environment influence physical activity? Examining the evidence -- special report 282. Washington, DC: The National Academies Press.

Nicaise, V., Kahan, D., & Sallis, J. F. (2011). Correlates of moderate-to-vigorous physical activity among preschoolers during unstructured outdoor play periods. *Preventive Medicine*, 53(4), 309-315.

Office of Disease Prevention & Health Promotion, U.S. Department of Health and Human Services. (2008). 2008 Physical activity guidelines for Americans. Retrieved from http://www.health.gov/paguidelines/guidelines/default.aspx

Popkin, B. M., Armstrong, L. E., Bray, G. M., Caballero, B., Frei, B., & Willett, W. C. (2006). A new proposed guidance system for beverage consumption in the United States. *American Journal of Clinical Nutrition*, 83(3), 529-542.

Prevention Institute. (2008). Strategies for enhancing the built environment to support healthy eating and active living. Retrieved from http://www.preventioninstitute.org/index.php?option=com_jlibrary&view=article&id=60&Itemid=127

Prevention Institute. (n.d.) ENACT Local Policy Database. Retrieved from http://eatbettermovemore.org/sa/policies/index.php

Story, M., Kaphingst, K. M., Robinson-O'Brien, R., & Glanz, K. (2008). Creating healthy food and eating environments: Policy and environmental approaches. *Annual Review of Public Health*, 29(), 253-72.

Taber, D. R., Chriqui, J. F., Perna, F. M., Powell, L. M., & Chaloupka, F. J. (2012). Weight status among adolescents in states that govern competitive food nutrition content. *Pediatrics*, 130(3), 437-444.

UNC Center for Health Promotion and Disease Prevention Center for Training and Research Translation. (2013). Farm to work. Retrieved from http://centertrt.org/?p=intervention&id=1171

 $\hbox{U.S. Department of Agriculture. (n.d.). } {\it Choose MyPlate.gov.} \ \hbox{Retrieved from http://choosemyplate.gov.}$



U.S. Department of Agriculture & U.S. Department of Health and Human Services. (2010). Dietary guidelines for Americans 2010. Retrieved from http://www.cnpp.usda.gov/DGAs2010-PolicyDocument.htm

Winston, C., & Beck, L. (1999). Phytochemicals: Health protective effects. Canadian Journal of Dietetic Practice and Research, 60(2), 78-84.

