



How Community Centers May Support 5210 Healthy Military Children

5210 Healthy Military Children is a Military-wide plan to improve child health. It spreads a common message throughout children's communities: where families work, live, and play. The message represents four healthy behaviors children should achieve each day:



5 or more servings of fruits and vegetables

2 or fewer hours of recreational screen time⁺

1 or more hours of physical activity

0 sweetened beverages

⁺ review guidelines on parenting strategies to ensure quality screen time (AAP, 2015)

Community centers may include municipal buildings, parks and recreation locations, places of worship, and other such sites where community members may gather. They are well-situated to promote 5210 behaviors because they serve as resources for a variety of community members, including children and their families. With that in mind, the resources assembled in this toolkit are designed to help community centers promote and support the 5210 message.

The following materials are available for leaders:

1. **Tips for Community Centers handout** – targets community center staff and provides them with tips to help their community increase fruit and vegetable consumption, closely monitor and limit screen time, increase physical activity, and decrease sweetened beverage consumption.
2. **Tips for Community Centers posters** – includes enlarged versions of the Tips for Community Centers handout that are available in two sizes (27" x 40" and 38" x 56") to hang in highly visible locations.
3. **Definitions & Recommendations handout** – explains the 5210 message and its research basis.
4. **Healthy Messaging** – lists quick, short, and long health messages that may be embedded into various communications.
5. **Fill Up Here! poster** –advertises locations where reusable water bottles may be filled with drinking water.
6. **Refresh! poster** –promote the use of water fountains and list locations where reusable water bottles may be filled.
7. **Thirst Quencher posters**–advertises drinking fountain locations.
8. **Television Tunnel Vision handout** – lists alarming facts about children's typical amount of screen time and offers suggestions for alternative ways of spending free time.

We recommend hanging the poster in highly visible locations in the community center. In addition, we advise placing the handouts at the front desk and in the resource area of the community center where they are likely to be seen and used. Digital versions of all materials are available and may be inserted into newsletters or emails and uploaded to the community centers websites and via social media.

For more information, visit 5210 online at www.5210.psu.edu or email us at 5210@psu.edu. We will be happy to answer your questions!



5 or more servings of fruits and vegetables

Fruits and vegetables provide a lot of nutrients, water, fiber, and phytochemicals that help prevent diseases and keep bodies healthy. There are many programs for community settings that are designed to increase fruit and vegetable consumption – contact the Clearinghouse for Military Family Readiness at 1-877-382-9185 to identify programs to meet your needs!

- Consider hosting a farmers' market at the community center! Arrange trips to local farms or farmers' markets.
- Sponsor a community garden and/or cooking club at the center so your community members may learn skills to help them include more fruits and vegetables in their diets.
- At gatherings involving food, encourage fruits and vegetables to be the main attraction!

2 or fewer hours of recreational screen time⁺

⁺review guidelines on parenting strategies to ensure quality screen time (AAP, 2015)

Recreational screen time is free time spent in front of screens – like televisions, video games, and the internet. It is possible to get enough physical activity and still engage in an unhealthy amount of screen time.

- Ask community members to turn off cell phones during social events to enjoy spending time together.
- Host a variety of clubs and events to get community members out of the house and involved in non-screen activities, such as book clubs, scouting groups, fitness classes, nature walks, and knitting circles.
- Promote National Screen-Free Week, which is usually in early May. See www.screenfree.org for details.

1 or more hours of physical activity

Moving your body is a great way to burn calories, improve your mood, boost your energy, prevent cancer and cardiovascular diseases, and help you sleep better at night – plus, it can be a lot of fun!

- Form a walking club at the community center to combine physical activity with occasions for socialization.
- Organize recreational sports opportunities that give everyone a chance to be active, no matter their athleticism.
- Host or sponsor active fundraisers, like walk-a-thons, to promote physical activity!

0 sweetened beverages

It is important to drink fluids to stay healthy, but sweetened beverages add extra sugar and calories to the diet. Watch out for drinks with the following ingredients: sugar, honey, sweetener, syrup (e.g., corn syrup, brown rice syrup), and/or ingredients ending in "ose" (e.g., glucose, dextrose).

- Sponsor a community-wide "Rethink Your Drink" campaign to promote water as the norm for quenching thirst.
- Ensure that free drinking water is always available and easily accessible at the Center.
- Give your community healthy choices by not offering sweetened beverages at the Center, including in vending machines.

Contact 5210 at 5210@psu.edu or www.5210.psu.edu for help identifying programs and resources targeting nutrition, physical activity, and screen time!

References

- Barnidge, E. K., Hipp, P. R., Estlund, A., Duggan, K., Barnhart, K. J., & Brownson, R. C. (2013). Association between community garden participation and fruit and vegetable consumption in rural Missouri. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 128-136.
- Brown, A., Shifrin, D.L., & Hill, D.L. (2015). Beyond turn it off: How to advise families on media use. *American Academy of Pediatric News*, 36(10), 1-1.
- Engell, D., Kramer, M., Malafi, T., Salomon, M., & Leshner, L. (1996). Effects of effort and social modeling on drinking in humans. *Appetite*, 26(2), 129-138.
- Freedman, D. A., Whiteside, Y. O., Brandt, H. M., Young, V., Friedman, D. B., & Hebert, J. R. (2012). Assessing readiness for establishing a farmers' market at a community health center. *Journal of Community Health*, 37(1), 80-88.
- Gortmaker, S., Long, M., & Wang, Y. C. (2009). *The negative impact of sugar-sweetened beverages on children's health*. Retrieved from <http://www.rwjf.org/en/research-publications/find-rwjf-research/2009/11/the-negative-impact-of-sugar-sweetened-beverages-on-children-s-h.html>
- Heyman, M. B., & Abrams, S. A. (2017). Fruit Juice in Infants, Children, and Adolescents: Current Recommendations. *Pediatrics*, e20170967.
- McNeill, L. H., Kreuter, M. W., & Subramanian, S. V. (2006). Social environment and physical activity: A review of concepts and evidence. *Social Science & Medicine*, 63(4), 1011-1022.
- Muckelbauer, R., Libuda, L., Clausen, K., Toschke, A. M., Reinehr, T., & Kersting, M. (2009). Promotion and provision of drinking water in schools for overweight prevention: Randomized, controlled cluster trial. *Pediatrics*, 123(4), e661-e667.
- National Association for Sport and Physical Education. (2009). *Active start: A statement of physical activity guidelines for children from birth to age 5*. Retrieved from <http://www.aahperd.org/naspe/standards/nationalGuidelines/ActiveStart.cfm>
- Office of Disease Prevention & Health Promotion, U.S. Department of Health and Human Services. (2008). *2008 Physical activity guidelines for Americans*. Retrieved from <http://www.health.gov/paguidelines/guidelines/default.aspx>
- Popkin, B. M., Armstrong, L. E., Bray, G. M., Caballero, B., Frei, B., & Willett, W. C. (2006). A new proposed guidance system for beverage consumption in the United States. *American Journal of Clinical Nutrition*, 83(3), 529-542.
- Screen-Free Week (2014). *Screen-Free Week*. Retrieved from <http://www.screenfree.org/>
- U.S. Department of Agriculture. (n.d.). *ChooseMyPlate.gov*. Retrieved from <http://choosemyplate.gov>
- U.S. Department of Agriculture & U.S. Department of Health and Human Services. (2010). *Dietary guidelines for Americans 2010*. Retrieved from <http://www.cnpp.usda.gov/DGAs2010-PolicyDocument.htm>
- Winston, C., & Beck, L. (1999). Phytochemicals: Health protective effects. *Canadian Journal of Dietetic Practice and Research*, 60(2), 78-84.

5 or more servings of fruits and vegetables

One serving of fruits and vegetables is:

1 medium fruit


½ cup of chopped, canned, or cooked fruit

¼ cup of dried fruit

1 cup of raw leafy greens

½ cup of raw or cooked vegetables

½ cup of 100% fruit or vegetable juice



The Dietary Guidelines for Americans 2010¹ provide the following recommendations:

- Increase fruit and vegetable intake.
- Eat a variety of vegetables, especially dark-green, red, and orange vegetables, and beans and peas.

The American Academy of Pediatrics² has the following recommendations for consuming fruit juice:

- Do not give juice to infants younger than 12 months.
- Limit juice to 4 oz per day in children under 4 years.
- Limit juice to 4-6 oz per day in children 4 to 6 years.
- Limit juice to 8 oz per day in children and adolescents 7 years and older.
- Fruit juice offers no nutritional benefits over whole fruits, and whole fruits provide fiber and other nutrients.

The United States Department of Agriculture recommends that half of a person's plate should be fruits and vegetables³. This recommendation is reflected on the current U.S. Food Guidance System, MyPlate, which is shown to the left.

1. U.S. Department of Agriculture & U.S. Department of Health and Human Services. (2010). *Dietary Guidelines for Americans 2010*. Retrieved from <http://www.cnpp.usda.gov/DGAs2010-PolicyDocument.htm>
2. Heyman, M. B., & Abrams, S. A. (2017). Fruit Juice in Infants, Children, and Adolescents: Current Recommendations. *Pediatrics*, e20170967.
3. U.S. Department of Agriculture. (n.d.). *ChooseMyPlate.gov*. Retrieved from <http://choosemyplate.gov>

2 or fewer hours of recreational screen time⁺

⁺review guidelines on parenting strategies to encourage quality screen time (AAP, 2015)

Recreational screen time is free time spent sitting or reclining in front of televisions, computers, tablets, and similar screens.

Children will engage in screen time as fully as they do in any other activity and screen time can have its positive and negative effects. So, the American Academy of Pediatrics¹ makes these recommendations:

- Become involved in children's media use and set limits around screen time.
- Help children learn to distinguish and choose programs that contain quality content.
- Become role models for children, demonstrating the value of productive time spent away from screens.
- Attempt to keep children under the age of 2 years away from screens entirely.

1. Brown, A., Shifrin, D.L. (2015). Beyond turn it off: How to advise families on media use. *American Academy of Pediatrics News*, 36(10), 1-1.



or more hours of physical activity

Physical activity is any movement of the body that raises one's heart rate above resting.

Structured physical activities are planned, and unstructured physical activities are free-play.

Aerobic physical activities involve moving large muscle groups. Moderate and vigorous aerobic activities make a person's heart, lungs, and muscles work noticeably harder. Examples include bicycling, swimming, and playing chasing games, like tag.

Muscle-strengthening physical activities include climbing and swinging on playground equipment, doing sit-ups and push-ups, and resistance training.

Bone-strengthening physical activities create an impact on bones, such as hitting a tennis ball, jumping rope, or practicing gymnastics.

For children 5 years and younger, the National Association for Sport and Physical Education¹ has developed the following recommendations:

- Infants under 12 months of age should engage in structured and unstructured physical activities each day that are devoted to exploring movement and developing motor skills.
- Toddlers (12 to 36 months old) should engage in structured physical activities for at least 30 minutes per day plus unstructured physical activities for at least 60 minutes (and up to several hours) per day.
- Preschoolers (3 to 5 years old) should engage in structured physical activities for at least 60 minutes per day plus unstructured physical activities for at least 60 minutes (and up to several hours) per day.

For children and adolescents 6 years and older, the U.S. Department of Health and Human Services² provides the following recommendations:

- Children and adolescents (6 to 17 years old) should engage in 1 hour of physical activity per day.
 - Most of the 1 hour should be moderate- or vigorous-intensity aerobic physical activities.
 - Muscle-strengthening physical activities should be included at least 3 days per week.
 - Bone-strengthening physical activities should be included at least 3 days per week.

1. National Association for Sport and Physical Education. (2009). *Active Start: A Statement of Physical Activity Guidelines for Children From Birth to Age 5*. Retrieved from <http://www.aahperd.org/naspe/standards/nationalGuidelines/ActiveStart.cfm>
2. Office of Disease Prevention & Health Promotion, U.S. Department of Health and Human Services. (2008). *2008 Physical Activity Guidelines for Americans*. Retrieved from <http://www.health.gov/paguidelines/guidelines/default.aspx>



sweetened beverages

Sweetened beverages are fruit drinks, sodas, sports drinks, and other beverages with caloric sweeteners like sugars and syrups.

Researchers from the Robert Wood Johnson Foundation Healthy Eating Research program¹ made the following conclusion following an examination of current evidence:

- Reducing sweetened beverage intake “would have no negative effect on children’s health and would reduce the risk of childhood obesity and many other health problems, including type 2 diabetes, poor nutrition, excess caffeine consumption, and dental decay.”

1. Gortmaker, S., Long, M., & Wang, Y. C. (2009). *The Negative Impact of Sugar-Sweetened Beverages on Children's Health*. Retrieved from <http://www.rwjf.org/en/research-publications/find-rwjf-research/2009/11/the-negative-impact-of-sugar-sweetened-beverages-on-children-s-h.html>

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

Healthy Messages

Here are some sample messages that you can distribute. Consider these quick messages for screen savers, the intranet, or social media.

- “ Do a little bit more physical activity, a little more often!
- “ Get more daily activity! Walk around the building before you go to your car.
- “ Get more daily activity! Invite a co-worker for a walk during lunch.
- “ Walking is a great way to start being active more often!
- “ Walking helps lower your blood pressure.
- “ Walking gives you more energy.
- “ Walking helps relieve stress.
- “ Walking helps you sleep better.
- “ Celebrate family occasions with a walk or hike. Get outside and play.
- “ Bike to your children’s sporting events.
- “ Walk the dog.
- “ Family meal time is important; take 10-15 minutes to sit down together.
- “ How do you involve your family in meal planning.
- “ Don’t waste time waiting for the elevator, use the stairs!



Social Media Tips

Social media is great for stirring up conversation around a topic or message. It can be used to inspire or assist people in making changes. Follow the number one rule: share information or ask questions in a way that makes healthy choices fun, easy, and popular!

Examples of Facebook posts from the Let’s Go! page:

- “ Are you a bottle water or tap water person?
- “ What ‘in season’ produce are you looking forward to eating?
- “ What are your tips for making quick, healthy, homemade meals?
- “ Like this post if cool, clear, crisp, refreshing water is your favorite way to stay hydrated.
- “ How do you stay active in the winter?

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

Short Messages

These messages are appropriate for emails and bulletin boards.

- “ Stair climbing and other small bursts of physical activity at work make a significant contribution to the recommended daily amount of 30 minutes (or more) of daily physical activity!
- “ Get more daily activity! If you have a choice, always take the stairs. If you have stairs, take as many trips up and down as possible.
- “ Get more daily activity! Walk around the office or building. There's no need to sit still while you talk on the phone or think. Pacing and fidgeting are physical activity.
- “ Wear a pedometer at work: Since every step counts, wearing a pedometer is wonderful motivator to walk more during your workday.
- “ Take small steps to help make health a priority. Small changes make a big difference over time! Incorporate the walking into activities you would be doing anyway. If you need to go to a different floor, use the stairs. Take the long way to the restroom and take a flight each way. Studies have shown that people are most likely to stick to exercise when it is part of their daily routine. Get started today!

- “ Along with its benefits to the heart, walking:
 - improves circulation
 - helps breathing
 - increases happiness
 - bolsters the immune system
 - helps prevent osteoporosis
 - helps prevent and control diabetes



For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

MORE



“ Challenge yourself to take the stairs all day today. If it is not possible to use the stairs, challenge yourself to pick two new ways this week to increase your physical activity during the work day:

- Use the stairs instead of the elevator.
- Schedule a walking meeting with co-workers.
- Stand and/or stretch while talking on the telephone.
- Rather than using the telephone, walk down the hall to speak with someone.
- Walk around your building, stretch your muscles.
- Park in the farthest parking spot and walk the rest of the way.


“ What is a serving?

- A whole fruit the size of a tennis ball.
- ½ cup of cut up fruit or veggies.
- 1 cup of raw leafy greens.
- ¼ cup of dried fruits.
- For kids, a serving is the size of the palm of their hand.

“ Be a healthy family. Keep the TV out of bedrooms and turn off the TV during meals.

Kids and adults should be active for at least one hour every day. You are your family's number one role model, so start practicing healthy habits today!

- Make gradual changes to increase your level of physical activity.
- Incorporate physical activity into your daily routines.
- Try tracking the level of your physical activity using a pedometer.
- Role model an active lifestyle.
- Turn off the TV and computer and keep them out of the bedroom.
- Limit TV and recreational computer time.
- Encourage lifelong physical activity by incorporating physical activity into your routine.
- Keep physical activity fun!



For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

CLEARINGHOUSE
FOR MILITARY FAMILY READINESS

This material is based upon work supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, and the Office of Family Policy, Children and Youth, U.S. Department of Defense under Award No. 2010-48709-21867 developed in collaboration with The Clearinghouse for Military Family Readiness at Penn State University.

5210 Healthy Military Children is adapted from Let's Go! www.letsqo.org.

as of July 11, 2017

These messages are appropriate for newsletters or e-newsletters.

Mindful Eating

“ Mindful eating involves paying full attention to the experience of eating and drinking.

It includes being aware of all the activities that surround food and eating. Mindful eating helps us learn to listen to what our body is telling us about hunger and satisfaction. It can improve our overall health.

Suggestions for mindful eating:

- Don't skip meals
- Eat sitting down
- Be present - eat without TV, newspaper, computer or work
- Learn to recognize the difference between hunger and cravings
- Notice how much food is on your plate, fork, or spoon
- Take time to enjoy the taste and to chew your food slowly between bites
- Check during a meal to see if you really need more food
- Notice how you feel both physical and emotionally



MORE

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

Fruits & Veggies

“ Eat at least 5 fruits and vegetables a day.

A diet rich in fruits and vegetables provides vitamins and minerals, important for supporting growth and development, and for optimal immune function.

Most fruits and vegetables are low in calories and fat, making them a healthy choice anytime. They may also contain phytochemicals (fight-o-chemicals) that work together with fiber to benefit your health in many ways. Different phytochemicals are found in different fruits based on their color – that’s why it’s important to put a rainbow on your plate.

Try it:

- Offer your family new fruits and veggies different ways; it can take 7 to 10 tries before you like a new food.
- Many fruits and veggies taste great with a dip or dressing. Try a low-fat salad dressing with yogurt or get protein with peanut butter.
- Make a fruit smoothie with low-fat yogurt.

Mix it:

- Add them to foods you already make, like pasta, soups, casseroles, pizza, rice, etc.
- Add fruit to your cereal, oatmeal, or other breakfast foods.
- Be a good role model for your family and have at least one veggie at every meal.

Slice it:

- Wash and chop veggies and fruits so they are ready to grab and eat.
- Most people prefer crunchy foods over mushy ones. Enjoy them fresh or lightly steamed

Choose with the seasons:

- Buy fruits and veggies that are in season.
- Remember that frozen fruits and veggies are always available and are a healthy choice.

Be a Role Model:

- You are your family’s number one role model, so start practicing the healthy habits you encourage your family to practice.
- Start by making small changes.
- Encourage the whole family to embrace a healthy lifestyle.



MORE

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

Physical Activity

66 Incorporate One Hour or More of Physical Activity into your Day.

Physical activity makes you feel good. It helps keep you at a healthy weight, makes your heart happy, and makes you stronger and more flexible.

One hour of moderate physical activity means:

Doing activities where you breathe hard, like hiking or dancing

20 minutes of vigorous physical activity means:

Doing activities where you sweat, like running, aerobics or basketball.

Free and Fun Activities:

- Take a walk with your family
- Play with your pet
- Walk the dog
- Take a bike ride (remember to wear your helmet)
- Turn on music and dance
- Jump rope
- Play Frisbee
- Take the stairs
- Park the car at the end of the parking lot

Avoid Sugary Drinks

66 Soda has no nutritional value and is high in sugar. Just nine ounces of soda is equal to 110-150 empty calories. Many sodas also contain caffeine, which kids don't need. Try drinking water and low-fat milk instead of soda and drinks with lots of sugar. If you choose to serve juice, buy 100% juice and limit the serving size.

Sports drinks contain lots of sugar. They should only be used when you are active for more than 60 minutes and it is hot and humid.

Energy drinks are NOT sports drinks and should never replace water during exercise.

Fuel with Water

- 66
- Water is the body's most important nutrient.
 - Between 70-80% of your body is made up of water.
 - When you exercise, you sweat, and when you sweat you LOSE water and minerals – it is important to replace the water you lose when you sweat.
 - Water is the #1 thirst quencher!
 - Add fresh lemon, lime or oranges wedges to water for some natural flavor.
 - Fill a pitcher of water and keep it in the fridge.

Replace soda with water instead of other sugar-sweetened beverages, such as juice or sports drinks. Remember, water is the best drink when you are thirsty.

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

References

- Birch, L. L. & Marlin, D. W. (1982). I don't like it; I never tried it: Effects of exposure on two-year-old children's food preferences. *Appetite*, 3(4), 353-360.
- Bravata, D. M., Smith-Spangler, C., Sundaram, V., Gienger, A. L., Lin, N., Lewis, R., ... & Sirard, J. R. (2007). Using pedometers to increase physical activity and improve health: A systematic review. *Journal of the American Medical Association*, 298(19), 2296-2304.
- Christian, H. E., Westgarth, C., Bauman, A., Richards, E. A., Rhodes, R. E., Evenson, K. R., Mayer, J. A., & Thorpe, R. J. (2013). Dog ownership and physical activity: A review of the evidence. *Journal of Physical Activity & Health*, 10(5), 750-759.
- Council on Communications and the Media. (2013). Policy statement: Children, adolescents, and the media. *Pediatrics*, 132(5), 958-961.
- Gillman, M. W., Rifas-Shiman, S. L., Frazier, A. L., Rockett, H. R. H., Camargo, C. A., Field, A. E., Berkey, C. S., & Colditz, G. A. (2000). Family dinner and diet quality among older children and adolescents. *Archives of Family Medicine*, 9(3), 235-240.
- Gortmaker, S., Long, M., & Wang, Y. C. (2009). *The negative impact of sugar-sweetened beverages on children's health*. Retrieved from <http://www.rwjf.org/en/research-publications/find-rwjf-research/2009/11/the-negative-impact-of-sugar-sweetened-beverages-on-children-s-h.html>.
- Harvard Medical School. (2013). *Boosting your energy*. Boston, MA: Harvard Health Publications.
- Harvard Medical School. (2012). *8 secrets to a good night's sleep*. Boston, MA: Harvard Health Publications.
- Haskell, W. L., Lee, I. M., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A., ... & Bauman, A. (2007). Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Circulation*, 116(9), 1081.
- Heyman, M. B., & Abrams, S. A. (2017). Fruit Juice in Infants, Children, and Adolescents: Current Recommendations. *Pediatrics*, e20170967.
- Johannsen, D. L. & Ravussin, E. (2008). Spontaneous physical activity: Relationship between fidgeting and body weight control. *Current Opinion in Endocrinology, Diabetes and Obesity*, 15(5), 409-415.
- Kelley, G. A., Kelley, K. S., & Tran, Z. V. (2001). Walking and resting blood pressure in adults: A meta-analysis. *Preventive Medicine*, 33(2), 120-127.
- Lampe, J. W. (1999). Health effects of vegetables and fruit: Assessing mechanisms of action in human experimental studies. *American Journal of Clinical Nutrition*, 70(3 Suppl), 475S-490S.
- Lee, I. M., & Buchner, D. M. (2008). The importance of walking to public health. *Medicine and Science in Sports and Exercise*, 40(7 Suppl), S512-8.
- Mathieu, J. (2009). What should you know about mindful and intuitive eating? *Journal of the American Dietetic Association*, 109(12), 1982-1987.

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

References continued

National Association for Sport and Physical Education. (2009). *Active start: A statement of physical activity guidelines for children from birth to age 5*. Retrieved from <http://www.aahperd.org/naspe/standards/nationalGuidelines/ActiveStart.cfm>.

Office of Disease Prevention & Health Promotion, U.S. Department of Health and Human Services. (2008). *2008 physical activity guidelines for Americans*. Retrieved from <http://www.health.gov/paguidelines/guidelines/default.aspx>.

Rickman, J. C., Barrett, D. M. and Bruhn, C. M. (2007), Nutritional comparison of fresh, frozen and canned fruits and vegetables. Part 1. Vitamins C and B and phenolic compounds. *Journal of the Science of Food and Agriculture*, 87(6), 930–944.

Rickman, J. C., Bruhn, C. M., and Barrett, D. M. (2007), Nutritional comparison of fresh, frozen, and canned fruits and vegetables II. Vitamin A and carotenoids, vitamin E, minerals and fiber. *Journal of the Science of Food and Agriculture*, 87(7), 1185–1196.

Sawka, M. N., Burke, L. M., Eichner, E. R., Maughan, R. J., Montain, S. J., & Stachenfeld, N. S. (2007). ACSM position stand: Exercise and fluid replacement. *Medicine & Science in Sports & Exercise*, 39(2), 377–390.

Schwarzer, R. (2008). Modeling health behavior change: How to predict and modify the adoption and - maintenance of health behaviors. *Applied Psychology*, 57(1), 1-29.

U.S. Department of Agriculture. (n.d.). *ChooseMyPlate.gov*. Retrieved from <http://choosemyplate.gov>

U.S. Department of Agriculture & U.S. Department of Health and Human Services. (2010). *Dietary guidelines for Americans 2010*. Retrieved from <http://www.cnpp.usda.gov/DGAs2010-PolicyDocument.htm>

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

5210 Every Day!

FILL UP HERE!

Refill
your
water
bottles
here!

5210
Healthy Military Children

5210

LET'S GO!

www.lets-go.org



5210 Every Day!

REFRESH!

A healthy body needs water.

FILL UP!



THIRST QUENCHER

5210 Every Day!

A healthy body
needs water.

FILL UP!



5210
Healthy Military Children

5210
LET'S GO!
www.letsgo.org

Television Tunnel Vision

Setting rules and enforcing limits can help reduce the amount of leisure time children spend in front of screens, like televisions, computers, and tablets.

Here are some fun things kids can do instead of engaging in screen time:

- Take a walk
- Cook something delicious
- Ride a bike
- Plant a garden
- Go on a nature hike
- Put together a jigsaw puzzle
- Go camping (even if it's just in the backyard)
- Go to a school sporting event
- Play a board game
- Go stargazing
- Read a book
- Write a story
- Play outside
- Explore a new playground
- Turn on the music and dance
- Start a journal
- Make art
- Talk with a friend
- Take pictures
- Join a club

For more information visit us at <https://5210.psu.edu> or email at 5210@psu.edu.

References

- Common Sense Media. (2013). *Zero to eight: children's media use in America 2013*. Retrieved from <http://www.commercialfreechildhood.org/sites/default/files/kidsandscreens.pdf>
- Lapierre, M. A., Piotrowski, J. T., Linebarger, D. L. (2012). Background television in the homes of U.S. children. *Pediatrics*, 130(5), 839-846.
- McDonough, P. (2009). *TV viewing among kids at an eight-year high*. Retrieved from <http://www.nielsen.com/us/en/newswire/2009/tv-viewing-among-kids-at-an-eight-year-high.html>
- Rideout, V. J., Foehr, U. G., Roberts, D. F. (2010). *Generation M²: media in the lives of 8- to 18- year olds*. Retrieved from <http://www.kff.org/entmedia/upload/8010.pdf>

SCREEN TIME DIGITS

